



**SAFETY DATA SHEET**  
**TENSORGRIP LP61 SPRAY ADHESIVE CANISTER**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** TENSORGRIP LP61 SPRAY ADHESIVE CANISTER

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Adhesive.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** QUIN GLOBAL (UK) LTD  
PO BOX 7634  
PERTH  
PH2 1GA  
+44 (0)845 381 2233, technical.uk@quin-global.com

**1.4. Emergency telephone number**

**Emergency telephone** +44 (0) 845 381 2233 (09.00 - 16.00) Mon - Fri

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification**

**Physical hazards**

Aerosol 1 - H222, H229

**Health hazards**

Carc. 2 - H351

**Environmental hazards**

Not Classified

**Classification (67/548/EEC or 1999/45/EC)**

F+; R12. Carc. Cat. 1 R45. Muta. Cat. 2 R46

**2.2. Label elements**

**Pictogram**



**Signal word**

Danger

**Hazard statements**

H222 Extremely flammable aerosol.  
H229 Pressurised container: may burst if heated  
H351 Suspected of causing cancer.

**Precautionary statements**

**TENSORGRIP LP61 SPRAY ADHESIVE CANISTER**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with national regulations.

**Contains** DICHLOROMETHANE

**2.3. Other hazards**

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

No data required as this is a mixture

**3.2. Mixtures**

<b>DICHLOROMETHANE</b>	<b>30-60%</b>
CAS number: 75-09-2 EC number: 200-838-9 REACH registration number: 01-2119480404-41-XXXX	
<b>Classification</b> Carc. 2 - H351	<b>Classification (67/548/EEC or 1999/45/EC)</b> Carc. Cat. 3;R40
<b>ISOBUTANE, PROPANE</b>	<b>30-60%</b>
CAS number: 68476-85-7 EC number: 270-704-2	
<b>Classification</b> Flam. Gas 1 - H220 Press. Gas	<b>Classification (67/548/EEC or 1999/45/EC)</b>

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation**

Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Loosen tight clothing such as collar, tie or belt.

**Ingestion**

Get medical attention immediately. In the unlikely event of ingestion GET medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Do not induce vomiting. Never give anything by mouth to an unconscious person. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical.

**Skin contact**

Remove contamination with soap and water or recognised skin cleansing agent. Consult a physician for specific advice. Continue to rinse for at least 15 minutes and get medical attention. If adhesive bonding occurs, do not force skin apart. Promptly flush contaminated skin with water. Promptly remove clothing if soaked through and flush the skin with water.

**Eye contact**

Get medical attention immediately. Continue to rinse. Only remove contact lenses if the person is conscious, coherent and they can remove them themselves

**4.2. Most important symptoms and effects, both acute and delayed**

**Inhalation**

Absorption through the lungs can occur causing symptoms similar to those of ingestion.

**Ingestion**

## SENSORGRIP LP61 SPRAY ADHESIVE CANISTER

Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. May cause stomach pain or vomiting. Swallowing concentrated chemical may cause severe internal injury.

### **Skin contact**

Prolonged and frequent contact may cause redness and irritation. May cause skin irritation.

### **Eye contact**

May cause eye irritation.

### **4.3. Indication of any immediate medical attention and special treatment needed**

#### **Notes for the doctor**

Treat symptomatically. Show this safety data sheet to the doctor in attendance

---

## **SECTION 5: Firefighting measures**

---

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Cool aerosol containers exposed to heat with water spray and remove container, if no risk is involved.

#### **Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

### **5.2. Special hazards arising from the substance or mixture**

#### **Hazardous combustion products**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

### **5.3. Advice for firefighters**

#### **Special protective equipment for firefighters**

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

---

## **SECTION 6: Accidental release measures**

---

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

For personal protection, see Section 8.

### **6.2. Environmental precautions**

#### **Environmental precautions**

perumes Contain spillage with sand, earth or other suitable non-combustible material.

### **6.3. Methods and material for containment and cleaning up**

#### **Methods for cleaning up**

Contain spillage with sand, earth or other suitable non-combustible material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### **6.4. Reference to other sections**

#### **Reference to other sections**

For personal protection, see Section 8. For waste disposal, see Section 13.

---

## **SECTION 7: Handling and storage**

---

### **7.1. Precautions for safe handling**

#### **Usage precautions**

Provide adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours and spray/mists. Clean equipment and the work area every day.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Storage precautions**

Keep container in a well-ventilated place. Keep container tightly closed. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

## TENSORGRIP LP61 SPRAY ADHESIVE CANISTER

### Storage class

Flammable compressed gas storage.

### 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

#### Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

#### Hand protection

Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. For repeated exposure use Viton or 4H chemical gloves, the user must COSHH risk assess to determine the correct glove.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. If exposure levels are likely to be exceeded, use a full face mask fitted with an organic AXP3 filter for short term low level exposures. For long term or high level exposures, compressed airline breathing apparatus should be used.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Aerosol.

#### Colour

Orange.

#### Odour

Characteristic.

#### Evaporation rate

Fast

#### Bulk density

1.18 kg/l

#### Viscosity

Non-viscous

#### Oxidising properties

Does not meet the criteria for classification as oxidising.

### 9.2. Other information

#### Other information

Not applicable.

## TENSORGRIP LP61 SPRAY ADHESIVE CANISTER

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable at normal ambient temperatures and when used as recommended.

#### 10.2. Chemical stability

##### **Stability**

Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions

#### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

#### 10.5. Incompatible materials

##### **Materials to avoid**

Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

##### **Acute toxicity oral (LD50 mg/kg)**

5,350.0

##### **Species**

Rat

##### **ATE oral (mg/kg)**

5,350.0

### SECTION 12: Ecological Information

#### 12.1. Toxicity

There are no data on the ecotoxicity of this product.

#### 12.2. Persistence and degradability

##### **Persistence and degradability**

The product is moderately biodegradable.

#### 12.3. Bioaccumulative potential

No data available on bioaccumulation.

#### 12.4. Mobility in soil

##### **Mobility**

Volatile.

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Not applicable.

## TENSORGRIP LP61 SPRAY ADHESIVE CANISTER

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID)	3501
UN No. (IMDG)	3501
UN No. (ICAO)	3501
UN No. (ADN)	3501

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (ISOBUTANE, PROPANE)
Proper shipping name (IMDG)	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (ISOBUTANE, PROPANE)
Proper shipping name (ICAO)	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (ISOBUTANE, PROPANE)
Proper shipping name (ADN)	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (ISOBUTANE, PROPANE)

#### 14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	8F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

##### Transport labels



#### 14.4. Packing group

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Emergency Action Code	2YE
Hazard Identification Number (ADR/RID)	23
Tunnel restriction code	(B/D)

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**TENSORGRIP LP61 SPRAY ADHESIVE CANISTER****15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

<b>Issued by</b>	HS&E Manager.
<b>Revision date</b>	10/07/2014
<b>Revision</b>	2
<b>Supersedes date</b>	09/07/2014
<b>SDS number</b>	20170
<b>Hazard statements in full</b>	
	H222 Extremely flammable aerosol.
	H229 Pressurised container: may burst if heated
	H351 Suspected of causing cancer.

**Disclaimer**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.